

IN THE CLAIMS:

1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Cancelled)
8. (Cancelled)
9. (Cancelled)
10. (Cancelled)
11. (Cancelled)
12. (Cancelled)
13. (Cancelled)
14. (Cancelled)
15. (Cancelled)
16. (Cancelled)
17. (Cancelled)

18. (New) Detergent composition comprising:

- a) a surfactant; and
- b) a fusion protein comprising a cellulose binding domain and a domain having a high binding affinity for another ligand, with chemical equilibrium constant K_D for binding between the domain having the high binding activity and the ligand being lower than $10^{-4}M$,

wherein the domain having a high binding affinity is an antibody or antibody fragment and,

wherein the domain having a high binding affinity binds to one of the following: a benefit agent, a fabric, a specific part of the fabric, or micro-particles which are loaded with a benefit agent.

19. (New) The detergent composition of claim 18, wherein the cellulose binding domain is obtained from a fungal enzyme isolated from fungi selected from the group consisting of origin *Humicola*, *Trichoderma*, *Thermomonospora*, *Phanerochaete* and *Aspergillus* or from a bacterial enzyme isolated from bacteria origin selected from the group consisting of *Bacillus*, *Clostridium*, *Streptomyces*, *Cellulomonas* and *Pseudomonas*.

20. (New) The detergent composition of claim 18, wherein the cellulose binding domain of the fusion protein is obtained from *Trichoderma reesei*.

21. (New) The detergent composition of claim 18, wherein the antibody is a heavy chain antibody as found in Camelidae or obtained from V_H fragments by a camelization procedure.

22. (New) The detergent composition of claim 18, wherein the benefit agent is selected from the group consisting of fabric softening agents, fragrances, perfumes, polymeric lubricants, photoprotective agents, latexes, resins, dye fixative agents, antioxidants, insecticides, soil repelling agents and soil release agents.

23. (New) The detergent composition of claim 18, wherein the cellulose binding domain of the fusion protein is connected to the domain having a high binding affinity for another ligand by means of a linker consisting of 2-15 amino acids.

24. (New) The detergent composition of claim 18, wherein the antibody or the antibody fragment is multi-specific.

25. (New) Process for delivering a benefit agent to a fabric by treating the fabric with a composition comprising:

a) a fusion protein comprising a cellulose binding domain and a domain having a high binding affinity for another ligand, with chemical equilibrium constant K_D for binding between the domain having the high binding activity and the ligand being lower than $10^{-4}M$,

wherein the domain having a high binding affinity is an antibody or antibody fragment and,

wherein the domain having a high binding affinity binds to one of the following: a benefit agent, a fabric, a specific part of the fabric the fabric, or micro-particles which are loaded with a benefit agent; and

b) a benefit agent selected from the group consisting of softening agents, finishing agents/protective agents, fragrances and bleaching agents.